

IS1205-5FE-S Industrial Switch Mini-box 5FE

Product Overview

The IS1205-5FE-S is the compact size unmanaged industrial grade Ethernet switch with 5-port 10/100Base-TX RJ45. It is also a high cost-effective easy-to-use device, which provides essential industrial Ethernet networking function, such as wide range power input 12-36VDC, redundant power design with polarity reverse/over-voltage protection, robust IP40 fan-less housing with Din-rail installation, wide operation temperature from -40 °C ~+75°C as well as high-level EMI/EMC capability and so on. It is the best choice for heavy industrial field where installation space is limited and restricted.

Features

- ✓ 5*10/100Base-TX RJ45 ports
- ✓ DC 12~36V input, redundant power supply with polarity reverse/over-voltage protection
- ✓ Support 2K Bytes Jumbo frame
- ✓ Support 4KV surge protection and ESD: Air-15kV, Contact-8kV Protection
- ✓ IP40 fan-less and Din-rail hardware design
- ✓ Operation temperature: -40 °C ~+75°C

Technical Specifications

ltem	Description	
Interface	Switchport: 5 RJ45 ports	
Ethernet	5*10/100Base-TX RJ45	
Standard	IEEE 802.3 10Base-T Ethernet IEEE 802.3u Fast Ethernet IEEE 802.3x Full-Duplex Flow Control IEEE 802.3az Energy Efficient Ethernet	
Dip Switch	 Port Isolation Flow control QoS(1-2 ports Broadcast storm restrain 	
LED Indicators	P(Power indicator) Green	Off: the device is power off or failed
		On: the device power on is normal
	1-5(Copper ports) Green	Off: ports link down
		On: ports link up
		Blinking: data on TX/RX

Power Specifications

Power Feature	Capability
Input voltage	12-36VDC, redundant power input
Input current	0.5A Max
Total power consumption	Full loading ≤4W
Connector	Removable 4-pin terminal block
Reverse polarity protection	Support
Over-voltage protection	Support

Switch Specifications

Feature	Capability
Switching capacity	1G
Packet forwarding rate	0.744 Mpps
MAC address table	2К
VLAN	4К
Buffer	2К
Forwarding delay	<10us
Jumbo Frame	Support 2Kbytes
MDX/MIDX	Support
Watchdog	Support
Network Topology	
Star topology	Support
Bus topology	Support
Tree Topology	Support

Mechanical structure

Feature	Capability
Case protection	IP40
Installation method	Din-rail

© Copyright 2023 Electroline Equipment Inc. All rights reserved.

Electroline Equipment Inc 395, Lebeau Blvd Saint-Laurent QC, Canada




Dimension(W*D*H)mm	30*85*85mm
Weight	0.4 kg

Operating environment

Feature	Capability
Operating temperature	-40℃~+75℃
Storage/transportation temperature	-40℃~+85℃
Relative humidity	5%~95% (non-condensing)
	Surge protection of power: IEC 61000-4-5 Level 3 (4KV/2KV) (8/20us)
	Surge protection of Ethernet ports: IEC 61000-4-5 Level 3 (4KV/2KV) (10/700us)
	DIP: IEC 61000-4-11 Level 3 (10V)
Industrial Standard	ESD: IEC 61000-4-2 Level 4 (8K/15K)
	Shock: IEC 60068-2-27
	Free fall: IEC 60068-2-32
	Vibration: IEC 60068-2-6
Certification	CCC/CE/FCC/RoHS
Warranty	5 years



Structure diagram



Ordering Information

Model	IS1205-5FE-S
	Compact size
	5*10/100Base-TX RJ45
Product Information	unmanaged industrial Ethernet switch
	DC12-36V input redundant dual power supply
	Operation temperature: -40° C \sim +75 °C

About Electroline Equipment Inc

Established in 1953, Electroline Equipment Inc., headquartered in Quebec, Canada, boasts over seven decades of experience in designing and manufacturing cutting-edge products for Hybrid Fiber-Coaxial (HFC) and Fiber to the Home (FTTH) networks. As a leading international provider of broadband solutions, the company specializes in DOCSIS[®], optical transmission products, return path ingress management technology, Ethernet products, and fiber products.

Over the past five years, Electroline has consistently excelled in Ethernet product Research & Development and sales, demonstrating its prowess in delivering specialized, customized solutions and services tailored to the evolving demands of Operators, Internet Service Providers (ISPs), Multiple System Operators (MSOs), and Enterprises in the digital age.

With a strategic focus on market expansion, Electroline continues to actively engage in marketing efforts across North America, Central America, South America, Europe, and Asia, where the telecommunications industry plays a pivotal role in driving economic growth and innovation.

